



Town of Acton  
Department of Public Health  
472 Main Street, Acton, MA 01720  
Phone: (978) 929-6632 Fax: (978) 929-6340  
www.acton-ma.gov

D. # 5/20/13

**ANNUAL INSPECTION HAZARDOUS MATERIALS PERMIT HOLDER**

Facility Name: Wheeler pool Date 5/20/2013  
Address: 38 Alcott  
Type of Business: Pool - semi-public  
Telephone: 508-451-6402 Email: ajwpitt@comcast.net  
Contact Person: Wendy Pittorino Initial Inspection ☒ Re-Inspection ☐

Housekeeping:	Y	N	Comments
Area clean	✓		
Spills present		✓	
Appropriate material storage	✓		
Materials and wastes separate	✓		
Cleanup materials available	✓		
Materials have secondary containment	✓		
Materials and wastes are labeled	✓		
<b>Safety:</b>			
Are MSDS sheets available on site	✓		
Employee personal protective equipment on site	✓		
Employees trained in Haz Mat handling	✓		
Emergency procedures posted	✓		
<b>Site Management:</b>			
Waste removed by licensed hauler		NA	
Floor drains present in area of Haz Mat or waste		✓	
Sinks present in area of Haz Mat or waste		✓	
Testing of septic system necessary		✓	
Does site plan on file reflect current arrangement		✓	
Any UST (underground storage tank) present		✓	
If UST present, is it alarmed		✓	

**Action Items:**

1. All OK
2.
3.
4.
5.
6.

Re-inspection required? Yes ☐ No ☒

Re-inspection Date:

[Signature]  
Inspector Signature Date 5/20/13

Wendy Pittorino  
Facility Representative Signature Date

## A. Hazardous Material (Non-Waste) Inventory Information

Complete the table below for all non-waste inventory. Use additional pages if necessary.

Chemical/Common Name	Max. Qty (at any one time)	Container Size (single largest container)	Location(s) (see section C)
cyanuric acid	18 lbs	6 lbs	shed
sodium carbonate (pH increaser)	50 gal. lbs. cu. ft.	50 gal. lbs. cu. ft.	chem shed
sodium bisulfate (pH decreaser)	10 gal. lbs. cu. ft.	6 gal. lbs. cu. ft.	chem shed
chlorine tab (3")	100 gal. lbs. cu. ft.	50 gal. lbs. cu. ft.	chem shed
sodium hydrogen carbonate (alkalinity increaser)	50 gal. lbs. cu. ft.	25 gal. lbs. cu. ft.	chem shed
Chlor Free 15 shock oxidizer (chlorine)	75 gal. lbs. cu. ft.	25 gal. lbs. cu. ft.	chem shed
Diatomaceous earth	50 gal. lbs. cu. ft.	25 gal. lbs. cu. ft.	chem shed

Calcium Chloride

25 lbs

25 lbs

chem  
shed

## B. Hazardous Waste Inventory Information

(Hazardous Waste Generator Permit Application/Amendment)

Complete the table below for all waste inventory. Use additional pages if needed.

Name of Hazardous Waste	Treatment/Disposal Method(s) (Definitions provided on bottom of page)	Max. Qty. (at any one time)	Annual Qty. Generated	Location(s) (see Section C)
	<input type="checkbox"/> Recycled on-site. <input type="checkbox"/> Treated on-site. <input type="checkbox"/> Shipped off-site for recycling/ treatment /disposal	gal. lbs. cu. ft.	gal. lbs. cu. ft.	
	<input type="checkbox"/> Recycled on-site. <input type="checkbox"/> Treated on-site. <input type="checkbox"/> Shipped off-site for recycling/treatment/disposal	gal. lbs. cu. ft.	gal. lbs. cu. ft.	
	<input type="checkbox"/> Recycled on-site. <input type="checkbox"/> Treated on-site. <input type="checkbox"/> Shipped off-site for recycling/treatment/disposal	gal. lbs. cu. ft.	gal. lbs. cu. ft.	
	<input type="checkbox"/> Recycled on-site. <input type="checkbox"/> Treated on-site. <input type="checkbox"/> Shipped off-site for recycling/treatment/disposal	gal. lbs. cu. ft.	gal. lbs. cu. ft.	
	<input type="checkbox"/> Recycled on-site. <input type="checkbox"/> Treated on-site. <input type="checkbox"/> Shipped off-site for recycling/treatment/disposal	gal. lbs. cu. ft.	gal. lbs. cu. ft.	

## C. Facility Site Plan/Storage Map


Prepare and submit with this Registration Form a simple site map which shows the following information:

- North direction • Street(s) adjacent to facility • Electrical, water, and gas shutoff valves
- Basic floor plan for each building containing hazardous materials/wastes which indicates building entrance(s) and hazardous material/waste storage locations (use grid locations or assign a code - A, B, C, etc. - to clearly identify each storage location for use in the above inventories).

Site Address: 38 Alcott St

City: Acton

Date Map Drawn: 04/01/2014



## D. Endorsement

I declare that the above information is true and correct to the best of my knowledge. I agree to comply with all applicable regulations regarding storage, handling, and disposal of hazardous materials and hazardous wastes.

Wheeler Recreation  
Owner/Operator's Name (Print)

\_\_\_\_\_  
Owner/Operator's Signature

\_\_\_\_\_  
Date

----- Do Not Complete below This Line -----

610-416-1123

Rick

PL 205.-



**TOWN OF ACTON  
HAZARDOUS MATERIALS CONTROL  
ANNUAL PERMIT APPLICATION**

Site Address	Mailing Address
Wheeler Recreation Swimming Pool 38 Alcott Street Acton, MA 01720	Wheeler Recreation Swimming Pool PO Box 2429 Acton, MA 01720
Category: 4,9	Fee: \$ 205.-

**Hazardous Materials Permitting Categories (Renewal)**

1. Hazardous Waste Generator (\$65)
3. Hazardous Materials Generator (\$65)
5. Discharge Permit (\$140)
7. Hazardous Waste User (\$65)
9. Haz. Mat. Storer Small Industry (160)
11. Haz. Mat. Storer Small Retail (\$140)
13. Haz. Waste Storer Retail (\$45)

2. Small Hazardous Waste Generator (\$45)
4. Hazardous Materials User (\$45)
6. Remediation Permit (\$140)
8. Haz. Mat. Storer Large Industry (\$235)
10. Haz. Mat. Storer Large Retail (\$170)
12. Haz. Waste Storer Industry (\$65)

1. Are MSDS's readily available on-site? Yes ☒ No ☐
2. Is employee personal protective equipment available on site? Yes ☒ No ☐
3. Are emergency procedures posted? Yes ☒ No ☐
4. Do all hazardous materials have 110% secondary containment? Yes ☐ No ☐
5. Are all materials and wastes clearly labeled? Yes ☒ No ☐
6. Are spill cleanup materials available? Yes ☒ No ☐
7. Do you have a copy of the Hazardous Materials Control Bylaw on site? Yes ☒ No ☐
8. Are you contracting with a DEP licensed waste hauler (if applicable)? Yes ☐ No ☒

Name of hauler: \_\_\_\_\_

Address of hauler: \_\_\_\_\_

9. Can you provide copies of waste shipping manifests if necessary? Yes ☐ No ☐

10. Contact person for the site is Richard Grater

I hereby certify on behalf of 04-2309168 Wheeler Recreation, the applicant for a permit or permit renewal from the Acton Board of Health pursuant to Chapter I of the Town of Acton General By-laws (the "Permit Application") that (a) the information contained in the Permit Application is true, accurate and complete, and (b) the facility located/operating at the above noted site address, Acton, MA and that is the subject of the Permit Application complies with the requirements for Approval of Hazardous Material Waste and Special Waste Permits as defined in section 3.5 of Chapter I of the Town of Acton General By-laws, Hazardous Materials Control, as amended.

Richard Grater

4/8/2014

Authorized Signatory

Date

Issued 5/1/2014

\$160

Expires 5/1/15

**TOWN OF ACTON  
PERMIT  
HAZARDOUS MATERIALS CONTROL BYLAW**

Wheeler Recreation Swimming Pool of PO Box 2429, Acton, MA 01720

Is hereby granted a permit to store and use Hazardous Materials at **38 Alcott Street** Acton, MA 01720. This permit is granted with the conditions as noted on the attached list of conditions assigned to your facility.

Permit Categories: 9

\*See below explanation of permit categories

**HAZARDOUS MATERIALS CONTROL PERMIT CATEGORIES AND FEES**

<u>Category</u>	<u>Initial</u>	<u>Renewal</u>
1. Large Hazardous Waste Generator	\$130	\$55
2. Small Hazardous Waste Generator	\$50	\$35
3. Hazardous Materials Generator	\$130	\$55
4. Hazardous Materials User	\$50	\$35
5. Remediation Discharge Permit	\$505	\$115
6. Remediation Permit	\$505	\$115
7. Hazardous Waste User	\$130	\$55
8. Hazardous Materials Storer Large Industry	\$430	\$195
9. Hazardous Materials Storer Small Industry	\$315	\$130
10. Hazardous Materials Storer Large Retail	\$375	\$140
11. Hazardous Materials Storer Small Retail	\$270	\$115
12. Hazardous Waste Storer Large Industry	\$130	\$55
13. Hazardous Waste Storer Small Industry	\$50	\$35
14. Hazardous Waste Storer Retail	\$50	\$35

## **HAZARDOUS MATERIALS CONTROL PERMIT**

### **List of Conditions:**

**Wheeler Recreation Area, Inc. - Swimming Pool  
38 Alcott Street  
Acton, MA 01720**

Pursuant to the authority of Chapter I - Hazardous Materials Control Bylaw - of the Town of Acton's General Bylaws, the Board of Health has considered your application and plans submitted therewith, and has determined that the materials to be stored, used or generated, are within the scope of said bylaw. The Board of Health hereby orders that the following conditions are necessary and all storage, use or generation must be performed in strict conformance herewith:

1. All liquid Hazardous Materials and Wastes shall be stored in a containment area capable of containing 110% of the largest volume stored in the containment area.
2. All Materials Safety Data Sheets (MSDSs) for the Hazardous Materials shall be maintained on site. MSDSs shall be reviewed with employees at the time of their employment and on an annual basis thereafter. MSDS must be made available to all employees upon request.
3. A Contingency Plan, including emergency contact numbers (Telephone numbers of owner, operator, etc.) and a sketch showing clearly all Hazardous Material and Waste locations shall be submitted and updated annually, to the Board of Health, Fire Department, Police Department, and Civil Defense.
4. Emergency procedures and local Emergency Response Telephone Numbers (Health, Fire, Police, D.E.P., Civil Defense, etc.) should a spill occur, shall be posted in clear view of all employees where Hazardous Materials or Wastes are used or stored.
5. All Hazardous Wastes must be disposed of by a Licensed, D.E.P. approved, hauler or be recycled on site.
8. Speedy Dry, or its equivalent, shall be kept in the storage area, in case of a Hazardous Materials or Wastes spill.
11. Protective equipment, including chemical resistant gloves, eye goggles and (rubber) boots, in addition to soap and water, shall be made available to all employees, at all times, in any Hazardous Materials or Waste storage or use area.
12. No Hazardous Materials or Wastes shall be discharged into a sink or toilet.
13. A safety eye wash station shall be installed where any Hazardous Materials or Wastes are handled or used.
14. A fire extinguisher, containing an appropriate fire extinguishing agent, shall be placed in the Hazardous Materials Storage area.
15. No food or drink shall be stored or consumed in any area where Hazardous Materials are stored or used.
18. D.E.P. Generator Registration shall be provided annually upon renewal of the Hazardous Materials Storage Permit.
25. Prior to any new chemical or processes being used, the Board of Health shall be notified.

26. The operation of this facility shall be in compliance with all present and future regulations of E.P.A. and D.E.P. at all times. Nothing in this permit allows or requires non-compliance with all present and future applicable laws or regulations of the Federal or State Governments.